BRAIN RESEARCH

VOL. 775 NOS. 1,2 **CONTENTS** **14 NOVEMBER 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Facilitation and inhibition of the urethrogenital reflex in spinal cord-transected rats
I. Durán, J.G. Rojas-Piloni and R. Cueva-Rolón (Mexico) 1

Ultrastructural changes in nitric oxide synthase immunoreactivity in the brain of rats subjected to perinatal asphyxia: neuroprotective effects of cold treatment
F. Capani, F. Loidl, J.J. Lopez-Costa, A. Selvin-Testa and J.P. Saavedra (Argentina) 11

Contribution of somal Lewy bodies to neuronal death
M.M. Tompkins and W.D. Hill (USA) 24

Protein kinases A and C are involved in the mechanisms underlying consolidation of cocaine place conditioning
L. Cervo, S. Mukherjee, A. Bertaglia and R. Samanin (Italy) 30

Intra-amygdala infusion of 2-chloroadenosine suppresses amygdala-kindled seizures
M.H. Pourgholami, M. Rostampour, J. Mirnajafi-Zadeh and M.R. Palizvan (Iran) 37

Relation of neuronal endoplasmic reticulum calcium homeostasis to ribosomal aggregation and protein synthesis: implications for stress-induced suppression of protein synthesis
J. Doutheil, C. Gissel, U. Oschlies, K.-A. Hossmann and W. Paschen (Germany) 43

Differential distribution and subcellular localization of ryanodine receptor isoforms in the chicken cerebellum during development
Y. Ouyang, M.E. Martone, T.J. Deerinck, J.A. Airey, J.L. Sutko and M.H. Ellisman (USA) 52

Differential expression of fibronectin, tenascin-C and NCAMs in cultured hippocampal astrocytes activated by kainate, bacterial lipopolysaccharide or basic fibroblast growth factor
M. Mahler, Y. Ben-Ari and A. Represa (France) 63

Attenuation of Fos-like immunoreactivity in the trigeminal nucleus caudalis following trigeminovascular activation in the anaesthetised guinea-pig
J.S. Clayton, P.J. Gaskin and D.T. Beattie (UK) 74

Deficits in response initiation, but not attention, following excitotoxic lesions of posterior parietal cortex in the rat
N.M. Ward and V.J. Brown (UK) 81

Theta-like activity in hippocampal formation slices: the effect of strong disinhibition of $GABA_A$ and $GABA_B$ receptors
J. Konopacki, H. Gołębiewski, B. Eckersdorf, M. Błaszczyk and R. Grabowski (Poland) 91

Cholinergic regulation of VIP gene expression in human neuroblastoma cells
B. Kristensen, B. Georg and J. Fahrenkrug (Denmark) 99

Heterogeneous expression of neurofilament proteins in forebrain and cerebellum during development: clinical implications for spinocerebellar ataxia
S.-O. Chan, D. Peng and F.-C. Chiu (USA) 107

Met-enkephalin alteration in the rat during chronic injection of morphine and/or midazolam
G.A. Tejwani and A.K. Rattan (USA) 119

$GABA_A$ receptor modulation by protein tyrosine kinase in the rat diagonal band of Broca
B.S. Jassar, P.M. Ostashewski and J.H. Jhamandas (Canada) 127

Effects of variations in hippocampal slice preparation protocol on the electrophysiological stability, epileptogenicity and graded hypoxia responses of CA1 neurons
P.L. Watson, J.L. Weiner and P.L. Carlen (Canada, USA) 134

Locomotion and stereotypy induced by scopolamine: contributions of muscarinic receptors near the pedunculopontine tegmental nucleus
A. Mathur, A. Shandarin, S.R. LaViolette, J. Parker and J.S. Yeomans (Canada) 144

Pituitary adenylate cyclase-activating peptide (PACAP) and PACAP type 1 receptor expression in regenerating adult mouse and rat superior cervical ganglia in vitro
K. Moller, M. Reimer, J. Hannibal, J. Fahrenkrug, F. Sundler and M. Kanje (Sweden, Denmark) 156

The effects of axotomy and preganglionic denervation on the expression of pituitary adenylate cyclase activating peptide (PACAP), galanin and PACAP type 1 receptors in the rat superior cervical ganglion
K. Moller, M. Reimer, E. Ekblad, J. Hannibal, J. Fahrenkrug, M. Kanje and F. Sundler (Sweden, Denmark) 166

Use of positron emission tomography to measure the effects of nalmefene on D_1 and D_2 dopamine receptors in rat brain
E.M. Unterwald, H. Tsukada, T. Kakiuchi, T. Kosugi, S. Nishiyama and M.J. Kreek (USA, Japan) 183

(contents continued on p. 256)

0006-8993(19971114)775:1/2;1-E

BRAIN RESEARCH

VOL. 775 NOS. 1,2 **CONTENTS** **14 NOVEMBER 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Facilitation and inhibition of the urethrogenital reflex in spinal cord-transected rats
I. Durán, J.G. Rojas-Piloni and R. Cueva-Rolón (Mexico) 1

Ultrastructural changes in nitric oxide synthase immunoreactivity in the brain of rats subjected to perinatal asphyxia: neuroprotective effects of cold treatment
F. Capani, F. Loidl, J.J. Lopez-Costa, A. Selvin-Testa and J.P. Saavedra (Argentina) 11

Contribution of somal Lewy bodies to neuronal death
M.M. Tompkins and W.D. Hill (USA) 24

Protein kinases A and C are involved in the mechanisms underlying consolidation of cocaine place conditioning
L. Cervo, S. Mukherjee, A. Bertaglia and R. Samanin (Italy) 30

Intra-amygdala infusion of 2-chloroadenosine suppresses amygdala-kindled seizures
M.H. Pourgholami, M. Rostampour, J. Mirnajafi-Zadeh and M.R. Palizvan (Iran) 37

Relation of neuronal endoplasmic reticulum calcium homeostasis to ribosomal aggregation and protein synthesis: implications for stress-induced suppression of protein synthesis
J. Doutheil, C. Gissel, U. Oschlies, K.-A. Hossmann and W. Paschen (Germany) 43

Differential distribution and subcellular localization of ryanodine receptor isoforms in the chicken cerebellum during development
Y. Ouyang, M.E. Martone, T.J. Deerinck, J.A. Airey, J.L. Sutko and M.H. Ellisman (USA) 52

Differential expression of fibronectin, tenascin-C and NCAMs in cultured hippocampal astrocytes activated by kainate, bacterial lipopolysaccharide or basic fibroblast growth factor
M. Mahler, Y. Ben-Ari and A. Represa (France) 63

Attenuation of Fos-like immunoreactivity in the trigeminal nucleus caudalis following trigeminovascular activation in the anaesthetised guinea-pig
J.S. Clayton, P.J. Gaskin and D.T. Beattie (UK) 74

Deficits in response initiation, but not attention, following excitotoxic lesions of posterior parietal cortex in the rat
N.M. Ward and V.J. Brown (UK) 81

Theta-like activity in hippocampal formation slices: the effect of strong disinhibition of $GABA_A$ and $GABA_B$ receptors
J. Konopacki, H. Gołębiewski, B. Eckersdorf, M. Błaszczyk and R. Grabowski (Poland) 91

Cholinergic regulation of VIP gene expression in human neuroblastoma cells
B. Kristensen, B. Georg and J. Fahrenkrug (Denmark) 99

Heterogeneous expression of neurofilament proteins in forebrain and cerebellum during development: clinical implications for spinocerebellar ataxia
S.-O. Chan, D. Peng and F.-C. Chiu (USA) 107

Met-enkephalin alteration in the rat during chronic injection of morphine and/or midazolam
G.A. Tejwani and A.K. Rattan (USA) 119

$GABA_A$ receptor modulation by protein tyrosine kinase in the rat diagonal band of Broca
B.S. Jassar, P.M. Ostashewski and J.H. Jhamandas (Canada) 127

Effects of variations in hippocampal slice preparation protocol on the electrophysiological stability, epileptogenicity and graded hypoxia responses of CA1 neurons
P.L. Watson, J.L. Weiner and P.L. Carlen (Canada, USA) 134

Locomotion and stereotypy induced by scopolamine: contributions of muscarinic receptors near the pedunculopontine tegmental nucleus
A. Mathur, A. Shandarin, S.R. LaViolette, J. Parker and J.S. Yeomans (Canada) 144

Pituitary adenylate cyclase-activating peptide (PACAP) and PACAP type 1 receptor expression in regenerating adult mouse and rat superior cervical ganglia in vitro
K. Moller, M. Reimer, J. Hannibal, J. Fahrenkrug, F. Sundler and M. Kanje (Sweden, Denmark) 156

The effects of axotomy and preganglionic denervation on the expression of pituitary adenylate cyclase activating peptide (PACAP), galanin and PACAP type 1 receptors in the rat superior cervical ganglion
K. Moller, M. Reimer, E. Ekblad, J. Hannibal, J. Fahrenkrug, M. Kanje and F. Sundler (Sweden, Denmark) 166

Use of positron emission tomography to measure the effects of nalmefene on D_1 and D_2 dopamine receptors in rat brain
E.M. Unterwald, H. Tsukada, T. Kakiuchi, T. Kosugi, S. Nishiyama and M.J. Kreek (USA, Japan) 183

(contents continued on p. 256)

0006-8993(19971114)775:1/2;1-E

(contents continued)

Short communications

Trigeminal ganglion elicited increases in nucleus trigeminal caudalis blood flow: a novel migraine model
R.B. McCall (USA) 189
Long-term potentiation trains induce mossy fiber sprouting
B. Adams, M. Lee, M. Fahnestock and R.J. Racine (Canada) 193
Role of cerebral spermidine in the development of sensitization to convulsant activity of cocaine and lidocaine
K. Shimosato, S. Watanabe, M. Katsura and S. Ohkuma (Japan) 198
Transneuronal retrograde degeneration of retinal ganglion cells following cerebral hemispherectomy in cats
H. Théoret, M. Herbin, D. Boire and M. Ptito (Canada) 203
The effects of ciliary neurotrophic factor on murine spinal cord neurons subjected to dendrite transection injury
L.J. Rosenberg and J.H. Lucas (USA) 209
Tetrahydroberberine blocks membrane K^+ channels underlying its inhibition of intracellular message-mediated outward currents in acutely dissociated CA1 neurons from rat hippocampus
J. Wu and G.Z. Jin (USA, China) 214
Nigral axon terminals are in contact with parvicellular reticular neurons which project to the motor trigeminal nucleus in the rat
Y. Yasui, T. Tsumori, K. Ono and T. Kishi (Japan) 219
Fluoxetine gradually increases [^{125}I]DOI-labelled 5-$HT_{2A/2C}$ receptors in the hypothalamus without changing the levels of G_q- and G_{11}-proteins
Q. Li, N.A. Muma, G. Battaglia and L.D. Van de Kar (USA) 225
The neuronal NOS inhibitor L-MIN, but not 7-NINA, reduces neurotoxic effects of chronic intrastriatal administration of quinolinic acid
T. Bazzett, A. Geiger, B. Coppola and R. Albin (USA) 229
Interhemispheric synchrony of slow oscillations of cortical blood volume and cytochrome aa_3 redox state in unanesthetized rabbits
B.A. Vern, B.J. Leheta, V.C. Juel, J. LaGuardia, P. Graupe and W.H. Schuette (USA) 233
Daily injections of melatonin entrain the circadian activity rhythms of nocturnal rats but not diurnal chipmunks
N. Murakami, N. Marumoto, K. Nakahara and T. Murakami (Japan) 240
Sex differences in the activity of γ-aminobutyric acidergic neurons in the rat hypothalamus
D.R. Grattan and M. Selmanoff (USA) 244
The cortical neuropeptide, cortistatin-14, impairs post-training memory processing
J.F. Flood, K. Uezu and J.E. Morley (USA) 250

Corrigendum

Lowering extracellular Na^+ concentration causes NMDA receptor-mediated neuronal death in cultured rat hippocampal slices [Brain Research 735 (1996) 1–8]
M. Takahashi and M. Hashimoto (Japan) 253

Author Index 254